Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6760903".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 11:10
L2	1	"6760903".pn. and multiple near2 client near2 processes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 11:12
L3	1	"6760903".pn. and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR '	OFF	2006/06/06 11:24
L4	1	"6760903".pn. and network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 11:31
L5	1	"6760903".pn. and internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 11:31
L6	77	shar\$4 near10 (memor\$4 or buffer\$1) same proxy and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:16
L7	6	processes near15 shar\$4 near10 (memor\$4 or buffer\$1) same proxy and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 11:33
L8	2	"6557056".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:16

				·		
S13 1	6	("5870559" "6148336" "6311216").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 15:20
S13 2	4	("20010032273" "20020099829")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 15:22
S13 3	132	input\$4 near15 output\$4 near15 (memor\$4 or buffer\$4)same proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 16:18
S13 4	52	input\$4 near15 output\$4 near15 (memor\$4 or buffer\$4)same proxy and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 16:28
S13 5	28425	assign\$6 near15 process and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 16:29
S13 6	0	assign\$6 near15 each near2 process\$2 and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 16:29
S13 7	0	assign\$6 near15 each near15 process\$2 and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 16:30
S13 8	4339	assign\$6 near15 memor\$4 near15 process\$2 and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 16:30

S13 9	40	assign\$6 near15 memor\$4 near15 process\$2 and proxy and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 17:38
S14 0	968	connection near15 proxy same (proxy near15 server) and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 17:39
S14 1	36	connection near15 (first near2 proxy) same (proxy near15 server) and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 17:43
S14 2	74	connection near15 (client\$1 near2 proxy) same (proxy near2 server) and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 17:43
S14 3	36	connection near15 (client\$1 near2 proxy) same (proxy near2 server) and processes and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 17:47
S14 4	0	connection near15 (client\$1 near2 proxy) same (proxy near2 server) and communicat\$4 near15 (client near3 processes) same (server near3 processes)and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 17:47
S14 5	242	communicat\$4 near15 (client near3 processes) same (server near3 processes)and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 17:48
S14 6	26	communicat\$4 near15 (client near3 processes) same (server near3 processes)and connect\$4 near15 proxy and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 17:50

					055	2006/06/55 :=
S14 7	1	communicat\$4 near15 (client near3 processes) same (server near3 processes) and processes near15 shar\$4 near15 proxy and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 17:50
S14 8	8	processes near15 shar\$4 near15 proxy and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 17:54
S14 9	422	shar\$4 near15 proxy and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 17:54
S15 0	26	shar\$4 near15 proxy and connect\$4 near14 proxies and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:30
S15 1	171	communicat\$4 near15 processes same prox\$4 and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:31
S15 2	125	communicat\$4 near15 processes same prox\$4 and client\$1 same server\$1 and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:31
S15 3	28	communicat\$4 near15 processes same prox\$4 and client\$1 same server\$1 and shar\$4 near15 proxy and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:42
S15 4	2034	client\$1 near5 proxy and server\$1 near5 proxy and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:43

S15 5	309	client\$1 near5 proxy and server\$1 near5 proxy and communicat\$4 near15 processes and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:44
S15 6	115	client\$1 near5 proxy and server\$1 near5 proxy and communicat\$4 near15 processes and connection near10 prox\$4 and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 11:32
S15 7	38	client\$1 near5 proxy and server\$1 near5 proxy and communicat\$4 near15 processes and connection near10 prox\$4 and client near3 processes and server near3 processes and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:45
S15 8	25	client\$1 near5 proxy and server\$1 near5 proxy and communicat\$4 near15 processes and connection near10 prox\$4 and client near3 processes and server near3 processes and (@ad<"20010125" or @rlad<"20010125") not \$153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:57
S15 9	228	first near2 proxy and second near2 proxy and (@ad<"20010125" or @rlad<"20010125") not S153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:58
S16 0	20493573	first near2 proxy and second near2 proxy and connection near15 prox\$3 (@ad<"20010125" or @rlad<"20010125") not S153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:58
S16 1	121	first near2 proxy and second near2 proxy and connection near15 prox\$3 and (@ad<"20010125" or @rlad<"20010125") not \$153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:58
S16 2	0	first near2 proxy and second near2 proxy and connection near15 first adj2 proxy near15 second adj2 proxy and (@ad<"20010125" or @rlad<"20010125") not S153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:59

				· · · · · ·		
S16 3	0	connection near15 first adj2 proxy near15 second adj2 proxy and (@ad<"20010125" or @rlad<"20010125") not S153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:59
S16 4	0	connection near15 first adj proxy near15 second adj proxy and (@ad<"20010125" or @rlad<"20010125") not S153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:59
S16 5	0	first adj proxy near15 second adj proxy and (@ad<"20010125" or @rlad<"20010125") not S153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:59
S16 6	95	first adj proxy and second adj proxy and (@ad<"20010125" or @rlad<"20010125") not S153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:59
S16 7	161	first adj2 proxy and second adj2 proxy and (@ad<"20010125" or @rlad<"20010125") not S153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 18:59
S16 8	118	first adj2 proxy and second adj2 proxy and connect\$4 near15 prox\$4 and (@ad<"20010125" or @rlad<"20010125") not S153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 19:01
S16 9	118	first adj2 proxy and second adj2 proxy and connect\$4 near15 prox\$4 and (@ad<"20010125" or @rlad<"20010125") not S153 and prox\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 19:24
S17 0	21	first adj2 proxy and second adj2 proxy and connect\$4 near15 prox\$4 and (@ad<"20010125" or @rlad<"20010125") not S153 and prox\$4 and processes near15 communicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 20:27

			_			
S17 1	1	first adj2 proxy and second adj2 proxy and connect\$4 near15 prox\$4 and (@ad<"20010125" or @rlad<"20010125") not S153 and prox\$4 and server near3 processes near15 communicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 20:28
S17 2	1	first adj2 proxy and second adj2 proxy and connect\$4 and (@ad<"20010125" or @rlad<"20010125") not \$153 and prox\$4 and server near3 processes near15 communicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 20:28
S17 3	56	(@ad<"20010125" or @rlad<"20010125") not S153 and prox\$4 and server near3 processes near15 communicat\$4 near15 client near3 processes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 20:59
S17 4	54	(@ad<"20010125" or @rlad<"20010125") not S153 and prox\$4 and server near3 processes near15 communicat\$4 near15 client near3 processes and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 20:59
S17 5	14	(@ad<"20010125" or @rlad<"20010125") not S153 and prox\$4 and server near3 processes near15 communicat\$4 near15 client near3 processes and shar\$4 near10 memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 11:10